

microlab® 麦博

FC362 High Fidelity 2.1 subwoofer system Excellent entertainment speakers

Features:

- High Fidelity 2.1 subwoofer speaker system with crystal clear acoustics and rich sound
- 6.5" woofer and 2.5" x 2 V16 full range speakers with perfect linear frequency response curve, designed by Danish acoustic master, Peter Larsen.
- Superb dynamics, depth and deep bass - ideal for all audio type of playbacks
- Slim satellites with tight and clear acoustics
- Standalone amplifier unit for distortion free and interference free audio, with front controls for easy access



Specifications:

Amplifier

- Output power: 54 Watt RMS
- Power distribution: 15 Watt x 2 + 24 Watt RMS
- Harmonic distortion: 0.3% 1 Watt 1kHz
- Frequency range: 35Hz - 20kHz
- Signal/Noise ratio: > 75 dB
- Separation: > 45 dB
- Input sensitivity: 300mV
- Fuse: T400mAL250V

Speakers

- Tweeter driver type: 2.5" x 2
- Tweeter rated power: 30 Watt 4 ohm
- Subwoofer drive type: 6.5" with eAirbass
- Subwoofer rated power: 30 Watt 8 ohm

Interfaces

- Output: RCA sockets x 3
- Inputs: 3.5mm stereo, and 2RCA sockets

Power

- Power supply: AC 220V - 240V ~ 50Hz, 200mA or AC100V - 120V ~ 60Hz, 460mA

Package Contents

- FC362 subwoofer
- FC362 satellites x 2
- FC362 amplifier
- 3.5mm stereo - 2RCA cable, 1.68m
- User manual

Dimensions

- Subwoofer dimension: 255 (W) x 287 (H) x 255 (D)mm
- Satellites dimension: 96 (W) x 110 (H) x 263 (D)mm
- Amplifier dimension: 75 (W) x 200 (H) x 200 (D)mm
- Product net weight: 5.3 kg
- Product Giftbox dimension: 434 x 406 x 304mm
- Product Gross weight: 8.5kg
- Export Carton dimension: 623 x 424 x 445mm
- Export Carton gross weight: 17.9kg

Warranty Notice: *1 Year Warranty

Microlab Technology Company Limited

Danzi Road, Shenzhen Grand Industrial Zone,
Longgang District, Shenzhen, China 518122
Tel: +86 755 86243211 Fax: +86 755 28290000
Email: jennifersheng@microlab.cn

EAN: 694519885144 4

Ver: 1.0



Product image, Terms and Specifications are subject to changes without further notice

© 2010 Microlab Technology Co., Ltd